



**80x120cm**  
**GLAZED PORCELAIN TILES**



## BRAND STORY

# INSPIRING INDUSTRY WITH OUR ACHIEVEMENTS

Nothing was done in rush. we were clear since our inception that essence should lead the way of the ceramic industry. And therefore, arduous efforts were put in at every stage.

What we are today is a result of the blood and sweat we have invested in our past. we are extremely proud of the fact that today essence is a synonym for ultra fine high quality products. Be it our most advanced technology.

Our flexible ways of working, professionalism or our ability to build trust amongst our channel partners and customers, all have contributed to what essence is today.





group of company

External homes, an unimaginable journey that brings lots of inspiration and success. We have learned & earned lots of things that shaped our success journey. With our research and development our design help us to stand above in the market and lead the growth.



In 2017, Essence Tiles created the brand Eternal Tiles with the goal of offering the entire world high-quality and long-lasting ceramic solutions. Eternal Tiles was created by pioneers and is now regarded as one of the most reliable and reputable names in the gulf nations.



The year 2019 sees the founding of Eternal Gear. It is situated in Morbi, Gujarat, the home of Indian ceramics. Being the epicenter of entrepreneurial activity, it has been seeing constant expansion since its beginnings. Mostly our products are Worm Gear Motor, Helical Gear Motor, Cam Index Device, Varitor Gear, Cycloidal Gear, Three Phase Electric Motor, and Brake Motor which are imported around the world.

We served our customers with artistic and modern design files that meet their demands and enhance their values in the architect and construction sectors. We build ideas, test them, and observe the required results to achieve things after fully understanding the needs of our customers. And because of this, each department at our company has worked hard to establish itself in the market.



The international team of WINER GROUP, which has 25 years of experience in the production of ceramics, introduces a new brand of ENNFACE porcelain stoneware tiles to the Russian market. ENNFACE is an amalgamation of modern manufacturing techniques and European design created in collaboration with Creative wave. ENNFACE is the face of European ceramics. The desire for a natural and ecological space inspired to focus on matte and structured surfaces that faithfully reproduce natural counterparts and reflect the main trends of the ceramic market. In partnership with Italian designers, the WINER GROUP team has achieved perfect solutions in textures and surfaces, flawless shades and the required number of faces.



In an era of modern world, people want Inspirer bath space design that become center of attraction and perfectly fit as a luxury craft. A stunning collection for your bath space that provides a seamless experience. We bring inspiration for our product designs from nature, which makes them more beautiful and gorgeous in every way.



**glossy**


**80X120CM**

GLAZED PORCELAIN TILES



80X  
120CM

NEW



## SUPER WHITE

FINISH  
**GLOSSY**

RANDOM  
**01**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



80X  
120CM

NEW



## HAVRE LIGHT

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Floor

Applicable  
on floor



4mm  
Spacer

Minimum  
4mm spacer



Wall

Applicable  
on wall



8.5mm

8.5mm  
Thickness



80X  
120CM

NEW



## LASA WHITE

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall






8.5mm  
Thickness



80X  
120CM

NEW



## CRYSTAL STATURIO

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall




8.5mm  
Thickness

[essencetiles.com](http://essencetiles.com)



80X  
120CM



## BRINJANI BEIGE

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer





Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## BRINJANI GREY

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer




Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## CASA PISTA

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer





Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## EBONY MARFIL

FINISH  
**GLOSSY**

RANDOM  
**03**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer





Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## GALAXY GREY

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer





Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## MINOT WHITE

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer




Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## MORDEN STATUARIO (ENDLESS)

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer




Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## MOZART WHITE

FINISH  
**GLOSSY**

RANDOM  
**03**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## NOVA BEIGE

FINISH  
**GLOSSY**

RANDOM  
**03**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall




8.5mm  
Thickness

[essencetiles.com](http://essencetiles.com)



80X  
120CM



## ONYX ELIGHT (ENDLESS)

FINISH  
**GLOSSY**

RANDOM  
**03**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer





Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## SHEPHIRE BIANCO

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer




Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## SHEPHIRE GREY

FINISH  
**GLOSSY**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



**matt**


**80X120CM**

GLAZED PORCELAIN TILES



80X  
120CM

NEW



## BRUGES BIANCO

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



Beijing



Seattle




London



80X  
120CM

NEW



## BRUGES CREMA

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall




8.5mm  
Thickness



80X  
120CM

NEW



## BRUGES GREY

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## ELEGANCE BIANCO

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## ELEGANCE CEMENTO

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer




Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## ELEGANCE CREMA

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## ELEGANCE GREPHITE

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



80X  
120CM



## ELEGANCE GREY

FINISH  
**MATT**

RANDOM  
**04**

THICKNESS  
**8.5 MM**



Applicable  
on floor



Minimum  
4mm spacer



Applicable  
on wall



8.5mm  
Thickness



# TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	OUR VALUE	TEST METHOD
----------------	---	-----------	-------------

## REGULATORY PROPERTIES

Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER

## STRUCTURAL PROPERTIES

Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082

## MASSIVE MECHANICAL PROPERTIES

Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5

## SURFACE MECHANICAL PROPERTIES

Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101

## THERMO HYGROMETRIC PROPERTIES

Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11

## CHEMICAL PROPERTIES

Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14

## SAFETY PROPERTIES

Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield	ISO-10545-15
		Pb & Cd	

## PACKING DETAILS

Size	Weight	Tiles / Box	Coverage Area / Box (approx.)	Coverage Area / Box (approx.)
80X120CM	36.5 Kgs.	2 pcs	1.92 Sq. m.	20.67 Sq. ft.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

essencetiles.com



Corporate Office

CH-8 Eden Ceramic City, Opp. Honest Hotel,  
Near Omkar Petroleum, 8-A, National Highway,  
Lalpar, Morbi 363 642, (Guj.) INDIA.

Tel: +91 97519 46677

Email: [info@essencetiles.com](mailto:info@essencetiles.com)



essencetiles